

CBCS Scheme

USN

--	--	--	--	--	--	--	--	--	--

15EC43

Fourth Semester B.E. Degree Examination, June/July 2017 Control Systems

Time: 3 hrs.

Max. Marks: 80

Note: Answer FIVE full questions, choosing one full question from each module.

Module-1

- 1 a. Explain linear and non-linear control system. (04 Marks)
- b. For the mechanical system shown in Fig.Q1(b):
 - i) Draw the mechanical network.
 - ii) Obtain equations of motion.
 - iii) Draw an electrical network based on force current analogy. (06 Marks)




Fig.Q1(b)




Fig.Q1(c)

- c. For the signal flow graph shown in Fig.Q1(c), determine the transfer function $\frac{C(s)}{R(s)}$ using Mason's gain formula (06 Marks)

OR

- 2 a. For the circuit shown in Fig.Q2(a), 'K' is the gain of an ideal amplifier. Determine the transfer function $\frac{I(s)}{V_i(s)}$.



Fig.Q2(a)

(04 Marks)

- b. For the mechanical system shown in Fig.Q2(b):
 - i) Draw equivalent mechanical network.
 - ii) Write performance equations.
 - iii) Draw torque-voltage analogy.




Fig.Q2(b)

(06 Marks)

15EC43

- c. Obtain $\frac{C(s)}{R(s)}$ for the block diagram shown in Fig.Q2(c) using block diagram reduction techniques.




Fig.Q2(c)

(06 Marks)

Module-2

- 3 a. List the standard test inputs used in control system and write their Laplace transform. (04 Marks)
- b. Find K_p , K_v , K_a and steady state error for a system with open loop transfer function as

$$G(s)H(s) = \frac{10(s+2)(s+3)}{s(s+1)(s+4)(s+5)}$$

where the input is $r(t) = 3 + t + t^2$.

(06 Marks)

- C. For the system shown in Fig.Q3(c), obtain closed loop transfer function, damping ratio natural frequency and expression for the output response if subjected to unit step input.




Fig.Q3(c)

(06 Marks)

OR

- 4 a. Define rise time and maximum overshoot and write their formula. (04 Marks)

- b. For a given system $G(s)H(s) = \frac{K}{s^2(s+2)(s+3)}$. Find the value of K to limit steady state error to 10 when input to system is $1+10t+20t^2$. (06 Marks)

- c. For a unity feedback control system with $G(s) = \frac{64}{s(s+9.6)}$. Write the output response to a unit step input. Determine:
- The response at $t = 0.1$ sec.
 - Settling time for $\pm 2\%$ of steady state.
- (06 Marks)**

Module-3

- 5 a. Explain Rouths-Harwitz stability criterion. (04 Marks)
- b. $s^6 + 4s^5 + 3s^4 - 16s^2 - 64s - 48 = 0$. Find the number of roots of this equation with positive real part, zero real part and negative real part using RH criterion. (06 Marks)
- c. Sketch the rough nature of the root locus of a certain control system whose characteristic equation is given by $s^3 + 9s^2 + Ks + K = 0$, comment on the stability. (06 Marks)

OR

15EC43

- 6 a. The open loop transfer function of a unity feedback system is $G(s) = \frac{K(s+2)}{s(s+3)(s^2+5s+10)}$.
- Find the value of K so that the steady state error for the input $r(t)=tu(t)$ is less than or equal to 0.01.
 - For the value of K found in part (i). Verify whether the closed loop system is stable or not using R-H criterion. **(06 Marks)**
- b. Sketch the root locus plot for a negative feedback control system whose open loop transfer function is given by $G(s)H(s) = \frac{K}{s(s+3)(s^2+2s+2)}$ for all values of K ranging from 0 to ∞ . Also find the value of K for a damping ratio of 0.5. **(10 Marks)**

Module-4

- 7 a. For a closed loop control system $G(s) = \frac{100}{s(s+8)}$, $H(s) = 1$. Determine the resonant peak and resonant frequency. **(04 Marks)**
- b. Explain lag-lead compensator network and briefly discuss the effects of lead-lag compensator. **(04 Marks)**
- c. Using Nyquist stability criterion, find the closed loop stability of a negative feedback control system whose open-loop transfer function is given by $G(s)H(s) = \frac{5}{s(s-1)}$. **(08 Marks)**

OR

- 8 a. Draw polar plot of $G(s)H(s) = \frac{100}{s^2+10s+100}$. **(06 Marks)**
- b. For a unity feedback system $G(s) = \frac{242(s+5)}{s(s+1)(s^2+5s+121)}$. Sketch the bode plot and find ω_{gc} , ω_{pc} , gain margin and phase margin. **(10 Marks)**

Module-5

- 9 a. With block diagram, explain system with digital controller. **(04 Marks)**
- b. Obtain the state model for the system represented by the differential equation $\frac{d^3y(t)}{dt^3} + 6\frac{d^2y(t)}{dt^2} + 11\frac{dy(t)}{dt} + 10y(t) = 3u(t)$. **(04 Marks)**
- c. Find the transfer function of the system having state model.
- $$\dot{X} = \begin{bmatrix} 0 & 1 \\ -2 & -3 \end{bmatrix} X + \begin{bmatrix} 0 \\ 1 \end{bmatrix} u \quad \text{and} \quad y = \begin{bmatrix} 1 & 0 \end{bmatrix} X$$
- (08 Marks)**

OR

- 10 a. Explain signal reconstruction scheme using sampler and zero order hold. **(04 Marks)**
- b. Obtain the state model of given electrical network shown in Fig.Q10(b).




Fig.Q10(b)

- c. Find the state transition matrix for $A = \begin{bmatrix} 0 & -1 \\ 2 & -3 \end{bmatrix}$. **(08 Marks)**

* * * * *